

**IMPORTANT:** PLEASE READ THESE INSTRUCTIONS CAREFULLY TO ENSURE THE SAFE AND EFFECTIVE USE OF THIS PRODUCT.

Stock No.34279

Part No.ST-2



# GENERAL INFORMATION

These instructions accompanying the product are the original instructions. This document is part of the product, keep it for the life of the product passing it on to any subsequent holder of the product. Read all these instructions before assembling, operating or maintaining this product.

This manual has been compiled by Draper Tools describing the purpose for which the product has been designed, and contains all the necessary information to ensure its correct and safe use. By following all the general safety instructions contained in this manual, it will ensure both product and operator safety, together with longer life of the product itself.

All photographs and drawings in this manual are supplied by Draper Tools to help illustrate the operation of the product.

Whilst every effort has been made to ensure the accuracy of information contained

Whilst every effort has been made to ensure the accuracy of information contair in this manual, the Draper Tools policy of continuous improvement determines t right to make modifications without prior warning.

#### 1. TITLE PAGE

## 1.1 INTRODUCTION:

USER MANUAL FOR: 13A SOCKET TESTER Stock no. 34279. Part no. ST-2.

# 1.2 REVISIONS:

Date first published July 2013

As our user manuals are continually updated, users should make sure that they use the very latest version.

Downloads are available from: http://www.drapertools.com/b2c/b2cmanuals.pgm

DRAPER TOOLS LIMITED HURSLEY ROAD CHANDLER'S FORD

WEBSITE: GENERAL FAX:

www.drapertools.com PRODUCT HELPLINE: +44 (0) 23 8049 4344 +44 (0) 23 8026 0784

EASTLEIGH HAMPSHIRE SO53 1YF

IJK

### 1.3 UNDERSTANDING THIS MANUALS SAFETY CONTENT:

DANGER! Information that draws attention to the risk of injury or

death

Information that draws attention to the risk of damage to the product or surroundings. WARNING

Information that draws attention to the risk which may result in minor injury or moderate damage. CAUTION!

# 1.4 COPYRIGHT @ NOTICE:

Copyright © Draper Tools Limited.

Permission is granted to reproduce this publication for personal & educational use only. Commercial copying, redistribution, hiring or lending is prohibited.

No part of this publication may be stored in a retrieval system or transmitted in any other form or means without written permission from Draper Tools Limited.

In all cases this copyright notice must remain intact.

#### 2. GUARANTEE

### 2 1 GUARANTEE

Draper tools have been carefully tested and inspected before shipment and are quaranteed to be free from defective materials and workmanship.

Should the tool develop a fault, please return the complete tool to your nearest distributor or contact Draper Tools Limited, Chandler's Ford, Eastleigh, Hampshire, SO53 1YF. England.

Telephone Sales Desk: (023) 8049 4333 or Product Helpline (023) 8049 4344.

A proof of purchase must be provided with the tool.

A proof of purchase must be provided with the tool. If upon inspection it is found that the fault occurring is due to defective materials or workmanship, repairs will be carried out free of charge. This guarantee errord covering stratilaour is 12 months from the date of such as except where tools are hired out when the guarantee period is ninety days from the date of purchase. This guarantee does not apply to normal wear and tear, nor does it cover any damage caused by misuse, careless or unsafe handling, alterations, accidents, or repairs attempted or made by any personnel other than the authorised Draper warranty repair agent. agent.

Note: If the tool is found not to be within the terms of warranty, repairs and carriage charges will be quoted and made accordingly.

This guarantee applies in lieu of any other guarantee expressed or implied and variations of its terms are not authorised.

Your Draper guarantee is not effective unless you can produce upon request a dated receipt or invoice to verify your proof of purchase within the guarantee period.

Please note that this guarantee is an additional benefit and does not affect your statutory rights. Draper Tools Limited.

# 4. INTRODUCTION

## 4.1 SCOPE

This Socket Tester can be used to determine whether socket wiring is correct or incorrect.

conjunction with the coding table provided, the three combined indicators dicate the true status of the wiring condition.

### 4.2 SPECIFICATION

STOCK NO	
Part no	ST-2
Rated voltage	230V
Rated frequency	50-60Hz
Working Temperature	0°C ~ 40°C
	relative humidity <80%
Size	71 x 62 x 62mm
Weight	63q

### 4.3 HANDLING & STORAGE

Although this tester is small in size, care must still be taken when handling. Dropping this tester will have an effect on the accuracy and may also result in personal injury. This tester is not a toy and must be respected.


The environment will have a negative result on its operation if you are not careful. If the air is damp, components will rust. If the machine is unprotected from dust and debris; components will become doaged: And if not cleaned and maintained correctly or regularly the tester will not perform at its best.

## 5. HEALTH & SAFETY INFORMATION

## 5.1 GENERAL SAFETY INSTRUCTIONS FOR SOCKET TESTER USE

▲WARNING: Do not use tester if wet or damaged in any way. WARNING

- In order to avoid electrical shock, use proper safety measures whe working with voltages above 32V AC rms, 42V AC peak or 60V DC. These voltages can pose a shock hazard.
- If a plug adapter has to be used to test a socket or a lead connection, ensure that this adapter is in a perfect condition and that the protective conductor connection of the adapter is continuously connected. Using the tester without continuous protective conductor leads to faulty test results.
- 3. Before use, check that the instrument is in perfect working order, for example, verify the instrument's operation with a known voltage source.
- For socket wiring test, a clear and safe statement concerning the test result can only be given in connection with the touching of the conta electrode. 4.
- 5. This instrument cannot detect N/Earth rev
- The indicators may at times light up weakly depending on the distributed capacitance of the electrical installation. 6.
- Always keep the instrument dry.
- 8. Don't touch any conductor with hand or skin to avoid electric shock.
- The instrument must only be used under the conditions and for the purposes for which it has been designed. 9.



#### PREPARING THE SOCKET TESTER 7.

- Plug the instrument into the socket to be tested, the state of the socket wiring is indicated by the three combined lamps. 1.
- 2 Explanations regarding the test result are described the following table, which is the same as (but more detailed than) the Coding Table on the

TISCOTTO!				
Lamp 1	Lamp 2	Lamp 3	Test Result	
*	0	*	The socket wiring is correct	
0	*	*	Live wire and neutral wire are reversed	
*	*	0	Live wire and earth wire are reversed	
*	0	0	There is no neutral wire	
0	0	*	There is no earth wire	
0	0	0	There is no live wire	

NOTE:

- means "LAMP ON"
- O means "LAMP OFF"

#### DISPOSAL 8.

- 8.1 DISPOSAL At the end of the tester's working life, or when it can no longer be repaired, ensure that it is disposed of according to national regulations.
  - Contact your local authority for details of collection schemes in your area. In all circumstances:
  - Do not dispose of testers with domestic waste.
  - Do not incinerate.
  - Do not abandon in the environment.
    - Do not dispose of WEEE\* as unsorted municipal waste.

Do not dispose of Waste Electrical & Electronic Equipment in with domestic rubbish

Waste Electrical & Electronic Equipment.

# **EXPLANATION OF SYMBOLS**



Warning!



WEEE



DRAPER CONTACTS

**DRAPER TOOLS LIMITED,** Hursley Road, Chandler's Ford, Eastleigh, Hampshire. SO53 1YF. U.K.

Helpline: (023) 8049 4344

Sales Desk: (023) 8049 4333 Internet: www.draper.co.uk E-mail: sales@drapertools.com

Sales Fax: (023) 8049 4209 General Enquiries: (023) 8026 6355

Service/Warranty Repair Agent

For aftersales servicing or warranty repairs, please contact the Draper Tools Helpline for details of an contact the Draper Tools agent in your local area.

